MATERIAL SAFETY DATA SHEET

TSP NO-RINSE SUBSTITUTE

PRODUCT NAME: TSP NO-RINSE SUBSTITUTE HMIS CODES: HFRP

PROCUCT CODE: 0408-0410 100B

=========== SECTION I - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: JASCO Chemical Corp.

1008 N. Fuller St. **ADDRESS**

Santa Ana. CA. 92701

EMERGENCY PHONE 800-424-9300 DATE PRINTED : 6/01 INFORMATION PHONE : RE (714) 547-6951 NAME OF PREPARER

======= SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION ===========

VAPOR PRESSURE WEIGHT

Page:

REPORTABLE COMPONENTS CAS NUMBER mm Hg @ TEMP PERCENT

NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT

*** No toxic chemical (s) subject to the reporting requirements of section 313 of Title III of 40 CFR 372 are present. *** No information available.

======== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS ================

BOILING RANGE: >212 DEG.F **SPECIFIC GRAVITY (H2O=1):** 1.02

EVAPORATION RATE: VAPOR DENSITY: **HEAVIER THAN AIR** SLOWER THAN ETHER

COATING V.O.C.: 938.4 g/L **SOLUBILITY IN WATER:** 25%

APPEARANCE AND ODOR: GREEN LIQUID, SLIGHT AMMONIA ODOR.

======== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====================

FLASH POINT: N/A **METHOD USED:** N/A

FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: N/A **UPPER:** N/A

EXTINGUISHING MEDIA: ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG

SPECIAL FIREFIGHTING PROCEDURES

DOESN'T BURN UNDER NORMAL CONDITIONS

UNUSUAL FIRE AND EXPLOSION HAZARDS

NONE

STABILITY: STABLE CONDITIONS TO AVOID

EXCESS HEAT.

INCOMPATIBILITY (MATERIALS TO AVOID)

STRONG ACIDS ALKALIES, OXIDANTS.

MATERIAL SAFETY DATA SHEET

TSP NO-RINSE SUBSTITUTE

HAZARDOUS DECOMPOSITION OR BYPRODUCT

CARBON MONOXIDE.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

IRRITATION OF THE UPPER RESPIRATORY PASSAGES.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

SLIGHT SKIN AND EYE IRRITANT. EYE CONTACT MAY INCLUDE TEARING AND BLURRING OF VISION.

SKIN ABSORPATION HEALTH RISKS AND SYMPTONS OF EXPOSURE

SKIN IRRITATION AND RASH.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

WEIGHT LOSS ON REPEATED EXPOSURE.

HEALTH HAZARDS (ACUTE AND CHRONIC)

OVEREXPOSURE.

CARCINOGENICITY: NTP CARCINOGEN: NO IARC MONOGRAPHS: NO OSHA REGULATED: NO

THIS PRODUCT IS NOT LISTED IN THE NTP, IARC OR OSHA LISTS FOR CARCINOGENICITY.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

NONE WITH NORMAL VENTILATION AND CONDITIONS OF USE. MAY CAUSE SLIGHT SKIN IRRITATION WITH SENSITIVE SKIN.

EMERGENCY AND FIRST AID PROCEDURES

FLUSH SKIN OR EYES WITH WATER AFTER CONTACT. IF SWALLOWED DO NOT INDUCE VOMITING. IMMEDIATELY GIVE TWO GLASSES OF WATER. CALL A PHYSICIAN. NOTE TO PHYSICIAN: ACTIVATED CHARCOAL MAY BE ADMINISTERED. SUSPEND 50 gms CHARCOAL IN 400 ml WATER. ADMINISTER 5ml/kg, OR 350 ml FOR AN AVERAGE ADULT.

======= SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE ====================

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

ABSORB AND/OR MOP UP.

WASTE DISPOSAL METHOD

DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

KEEP CONTAINERS CLOSED. DO NOT MIX WITH OTHER HOUSEHOLD CHEMICALS.

OTHER PRECAUTIONS

NONE.

Page:

MATERIAL SAFETY DATA SHEET TSP NO-RINSE SUBSTITUTE

 SECTION VIII	- CONTROL MEASURES	

Page: 3

REPIRATORY PROTECTION

USE WITH ADEQUATE AIR CIRCULATION. AN ORGANIC VAPOR RESPIRATOR SHOULD BE USED IN AREAS OF POOR VENTILATION.

VENTILATION

USE WITH ADEQUATE VENTILATION.

PROTECTIVE GLOVES

INPERVIOUS GLOVES AND AN APRON IF APPROPRIATE ARE RECOMMENDED, ESPECIALLY FOR SENSITIVE SKIN.

EYE PROTECTION

SAFETY GLASSES OR SPLASH GOGGLES SHOULD BE WORN WHEN THE POSSIBILITY EXISTS FOR EYE CONTACT DUE TO SPLASHING, ETC.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

NONE.

WORK/HYGIENIC PRACTICES

WASH HANDS WITH SOAP AND WATER AFTER USE.

THIS INFORMATION IS TO THE BEST OF OUR KNOWLEDGE AND BELIEF ACCURATE AS OF THE DATE COMPILED. HOWEVER, NO REPRESENTATION OR GUARANTEE IS MADE AS TO ITS ACCURACY, RELIABILITY OR COMPLETENESS.